


Flexible connection of pipes to  
manhole systems



## SealiT MANHOLE CONNECTION SEAL



SealiT



Building  
construction



Civil  
engineering



Water



HVAC



Industry



## TYPE SELECTION



### **SealiT** Manhole Connection Seal

#### **Fields of application**

For the flexible connection of pipes to manhole systems and as connection pieces on pipework

#### **Material**

SBR-Rubber compliant with EN 681-1 WCL

#### **Properties**

Good mechanical strength, high resistance to weathering and acids

#### **Sizes**

Pipe outside diameter ND 110, 160, 200



AVAILABLE ONLINE | [WWW.PSI-PRODUCTS.COM](http://WWW.PSI-PRODUCTS.COM)



Product data sheet



Installation



## PRODUCT INFORMATION

### **Properties**

Manhole connection

### **Fields of application**


Manhole connection for plastic pipes

### **Description**

No special tools are required for quick and easy installation; the seal is simply inserted into the annular space.



TECHNICAL INFORMATION



ND	Diameter of core drilling [mm]	OD [mm]	ID 1 [mm]	ID 2 [mm]	ID 3 [mm]	H [mm]
110	138,0 ± 2	142,0 ± 0,7	107,5 ± 0,7	116,0 ± 0,7	101,0 ± 0,7	52,0 ± 0,5
160	186,0 ± 2	189,0 ± 1,0	154,5 ± 0,7	163,0 ± 0,7	148,0 ± 0,7	52,0 ± 0,5
200	226,0 ± 2	230,0 ± 1,1	195,5 ± 1,0	204,0 ± 1,0	189,0 ± 1,0	52,0 ± 0,5

